Gene, 69 (1988) 373–376
Elsevier

AUTHOR INDEX VOLUME 69 (1988)

Abel, K.-J., see Amann, E. 69 (1988) 301
Agard, D.A., see Silen, J.J. 69 (1988) 237
Aitchison, J.D., see Nuttley, W.M. 69 (1988) 171
Amann, E., Ochs, B. and Abel, K.-J., Tightly regulated *tac* promoter vectors useful for the expression of unfused and fused proteins in *Escherichia coli* 69 (1988) 301

Baker, M.D., Murialdo, H. and Shulman, M.J., Expression of an immunoglobulin kappa light-chain gene in lymphoid cells using a bovine papillomavirus-1 (BPV-1) vector 69 (1988) 349
Barker, P.J., see Hall, J. 69 (1988) 29
Bell, R.A., see Fahnestock, M. 69 (1988) 257
Benisek, W.F., see Choi, K.Y. 69 (1988) 121
Bergtrom, G., see Trewitt, P.M. 69 (1988) 91
Bernardi, G. see Goursot, R. 69 (1988) 141
Berndt, N., see Cohen, P.T.W. 69 (1988) 131
Bitter, G.A. and Egan, K.M., Expression of interferon-γ from hybrid yeast GPD promoters containing upstream regulatory sequences from the *GAL1-GAL10* intergenic region 69 (1988) 193
Blume, M., see Cheng, S.M. 69 (1988) 357
Borst, P., see Kooter, J.M. 69 (1988) 1

Cheah, K.-C., Sankar, S. and Porter, A.G., Expression and processing of human rhinovirus type 14 polypeptide precursors in *Escherichia coli* maxicells 69 (1988) 265
Chen, X.J. and Fukuhara, H., A gene fusion system using the aminoglycoside 3′-phosphotransferase gene of the kanamycin-resistance transposon Tn*903*: use in the yeast *Kluyveromyces lactis* and *Saccharomyces cerevisiae* 69 (1988) 181
Cheng, S.M., Lee, S.G., Kalyan, N.K., Hum, W.T., Blume, M., Vogel, R. and Hung, P.P., Isolation of a human cDNA of urokinase and its expression in COS-1 cells 69 (1988) 357
Choi, K.Y. and Benisek, W.F., Nucleotide sequence of the gene for the 5-3-ketosteroid isomerase of *Pseudomonas testosteroni* 69 (1988) 121
Chroboczek, J., see Neumann, R. 69 (1988) 153
Coffino, P., Probable cloning artefacts previously interpreted as anusual leader sequences of rodent ornithine decarboxylase mRNAs — a cautionary tale 69 (1988) 365
Cohen, P.T.W., Collins, J.F., Coulson, A.F.W., Berndt, N. and da Cruz e Silva, O.B., Segments of bacteriophage λ (*orf*221) and ϕ80 are homologous to genes coding for mammalian protein phosphatases 69 (1988) 131
Collard, J.F., see Leite, J.P.G. 69 (1988) 111
Collins, C., see de Boer, H.A. 69 (1988) 369
Collins, J.F., see Cohen, P.T.W. 69 (1988) 131
Coulson, A.F.W., see Cohen, P.T.W. 69 (1988) 131
Crabb, D.W., see Zhang, B. 69 (1988) 159

da Cruz e Silva, O.B., see Cohen, P.T.W. 69 (1988) 131
Daniel, V., see Rosen, A. 69 (1988) 275
de Boer, H.A., Zhang, Y.Z., Collins, C. and Reddy, C.A., Analysis of nucleotide sequences of two ligninase cDNAs from a white-rot filamentous fungus, *Phanerochaete chrysosporium* 69 (1988) 369
de Ferra, F., see Velati Bellini, A. 69 (1988) 325
de Oliveira, C., see Kooter, J.M. 69 (1988) 1
D'Halluin, J.C., see Leite, J.P.G. 69 (1988) 111
DiMauro, S., see Rizzuto, R. 69 (1988) 245
Dingemanse, M.A., see Punt, P.J. 69 (1988) 49
Doi, R.H., see Wang, L.-F. 69 (1988) 39

Eden-McCutchan, F., see Welkos, S.L. 69 (1988) 287
Egan, K.M., see Bitter, G.A. 69 (1988) 193
Ekker, M., see Tronik, D. 69 (1988) 71
El-Gewely, M.R., see Su, T.-Z. 69 (1988) 81

Fahnestock, M. and Bell, R.A., Molecular cloning of a cDNA encoding the nerve growth factor precursor from *Mastomys natalensis* 69 (1988) 257

Frankel, F.R., see Hsu, C.-Y.J. 69 (1988) 345
Fukuhara, H., see Chen, X.J. 69 (1988) 181

Gilbert, H.J., see Hall, J. 69 (1988) 29
Gorski, J., see Somasekhar, M.B. 69 (1988) 13
Gorski, J., see Somasekhar, M.B. 69 (1988) 23
Goursot, R., Goursot, R. and Bernardi, G., Temperature can reversibly modify the structure and the functional efficiency of *ori* sequences of the yeast mitochondrial genome 69 (1988) 141
Goursot, R., see Goursot, R. 69 (1988) 141
Grandi, G., see Velati Bellini, A. 69 (1988) 325
Grummt, F., see Lötscher, E. 69 (1988) 225
Grzeschik, K.-H., see Lötscher, E. 69 (1988) 215

Hall, J., Hazlewood, G.P., Barker, P.J. and Gilbert, H.J., Conserved reiterated domains in *Clostridium thermocellum* endoglucanases are not essential for catalytic activity 69 (1988) 29
Harris, R.A., see Zhang, B. 69 (1988) 159
Hashimoto, S., see Kitani-Yasuda, T. 69 (1988) 165
Hazlewood, G.P., see Hall, J. 69 (1988) 29
Hilliker, S., see Wang, L.-F. 69 (1988) 39
Howard, R.F., Stanley, H.A. and Reese, R.T., Characterization of a high-molecular-weight phosphoprotein synthesized by the human malarial parasite *Plasmodium falciparum* 69 (1988) 371
Hsu, C.-Y.J. and Frankel, F.R., Conserved and unique sequences in the 3'-untranslated region of rat smooth-muscle alpha-actin mRNA 69 (1988) 345
Hum, W.T., see Cheng, S.M. 69 (1988) 357
Hung, P.P., see Cheng, S.M. 69 (1988) 357
Hung, P.P., see Wang, L.-F. 69 (1988) 39

Imamoto, F., see Kano, Y. 69 (1988) 331

Jacobs-Meijsing, B.J.M., see Punt, P.J. 69 (1988) 49
Jacrot, B., see Neumann, R. 69 (1988) 153
Jaenichen, R., see Lötscher, E. 69 (1988) 215
Jiménez, A., see Vara, J.A. 69 (1988) 135

Kalyan, N.K., see Cheng, S.M. 69 (1988) 357
Kalyan, N.K., see Wang, L.-F. 69 (1988) 39
Kano, Y., Wada, M. and Imamoto, F., Genetic characterization of the gene *hupA* encoding the HU-2 protein of *Escherichia coli* 69 (1988) 331
Kimura, M., see Nagami, Y. 69 (1988) 59
Kitani-Yasuda, T., Yasuda, N. and Hashimoto, S., Activation of the adenovirus-2 *E2a* late promoter during inhibition of protein synthesis by cycloheximide 69 (1988) 165
Klopstock, T., see Lötscher, E. 69 (1988) 215
Kooter, J.M., Winter, A.J., de Oliveira, C., Wagter, R. and Borst, P., Boundaries of telmore conversion in *Trypanosoma brucei* 69 (1988) 1
Kuramitsu, H.K., see Ueda, S. 69 (1988) 101

Lacalle, R.A., see Vara, J.A. 69 (1988) 135
Lee, S.-G., see Wang, L.-F. 69 (1988) 39
Lee, S.G., see Cheng, S.M. 69 (1988) 357
Leite, J.P.G., Collard, J.F. and D'Halluin, J.C., The role of the two E1a mRNA products of subgroup B adenoviruses in the regulation of early promoters of subgroup C adenoviruses 69 (1988) 111
Leppla, S.H., see Welkos, S.L. 69 (1988) 287
Lowe, J.R., see Welkos, S.L. 69 (1988) 287
Lötscher, E., Siwka, W., Zimmer, F.-J., Grummt, F. and Zachau, H.G., Transposed human immunoglobulin V_κ gene regions carry clusters of conserved autonomously replicating sequence elements 69 (1988) 225
Lötscher, E., Zimmer, F.-J., Klopstock, T., Grzeschik, K.-H., Jaenichen, R., Straubinger, B. and Zachau, H.G., Localization, analysis and evolution of transposed human immunoglobulin V_κ genes 69 (1988) 215

McGrath, C.N., see Silen, J.J. 69 (1988) 237
Murialdo, H., see Baker, M.D. 69 (1988) 349

Nagami, Y., Kimura, M., Teranishi, Y. and Tanaka, T., Construction of a new shuttle expression vector for *Bacillus subtilis* and *Escherichia coli* by using a polycistronic system 69 (1988) 59

Nakase, H., see Rizzuto, R. 69 (1988) 245
Neumann, R., Chroboczek, J. and Jacrot, B., Determination of the nucleotide sequence for the penton-base gene of human adenovirus type 5 69 (1988) 153
Nuttley, W.M., Aitchison, J.D. and Rachubinski, R.A., cDNA cloning and primary structure determination of the peroxisomal trifunctional enzyme hydratase-dehydrogenase-epimerase from the yeast *Candida tropicalis* pK233 69 (1988) 171

Ochs, B., see Amann, E. 69 (1988) 301

Pech, M., see Straubinger, B. 69 (1988) 209
Porter, A.G., see Cheah, K.-C. 69 (1988) 265
Pósfai, G. and Szybalski, W., A simple method for locating methylated bases in DNA, as applied to detect asymmetric methylation by M-*Fok*IA 69 (1988) 147
Pouwels, P.H., see Punt, P.J. 69 (1988) 49
Pulido, D., see Vara, J.A. 69 (1988) 135
Punt, P.J., Dingemanse, M.A., Jacobs-Meijsing, B.J.M., Pouwels, P.H. and Van den Hondel, C.A.M.J.J., Isolation and characterization of the glyceraldehyde-3-phosphate dehydrogenase gene of *Aspergillus nidulans* 69 (1988) 49

Rachubinski, R.A., see Nuttley, W.M. 69 (1988) 171
Rawlings, D.E., Sequence and structural analysis of the α- and β-dinitrogenase subunits of *Thiobacillus ferrooxidans* 69 (1988) 337
Reddy, C.A., see de Boer, H.A. 69 (1988) 369
Reese, R.T., see Howard, R.F. 69 (1988) 371
Rizzuto, R., Nakase, H. Zeviani, M., DiMauro, S. and Schon, E.A., Subunit Va of human and bovine cytochrome *c* oxidase is highly conserved 69 (1988) 245
Rosen, A. and Daniel, V., Nucleotide sequence and transcription of a rat $tRNA^{Phe}$ gene and a neighboring *Alu*-like element 69 (1988) 275
Rougeon, F., see Tronik, D. 69 (1988) 71

Saffarini, D.A., see Trewitt, P.M. 69 (1988) 91
Sankar, S., see Cheah, K.-C. 69 (1988) 265
Schmidt, J.J., see Welkos, S.L. 69 (1988) 287
Schon, E.A., see Rizzuto, R. 69 (1988) 245
Shiroza, T., see Ueda, S. 69 (1988) 101
Shulman, M.J., see Baker, M.D. 69 (1988) 349
Silen, J.J., McGrath, C.N., Smith, K.R. and Agard, D.A., Molecular analysis of the gene encoding α-lytic protease: evidence for a preproenzyme 69 (1988) 237
Siwka, W., see Lötscher, E. 69 (1988) 225
Smith, K.R., see Silen, J.J. 69 (1988) 237
Somasekhar, M.B. and Gorski, J., An estrogen-responsive element from the 5′-flanking region of the rat prolactin gene function in MCF-7 but not in HeLa cells 69 (1988) 23
Somasekhar, M.B. and Gorski, J., Two elements of the rat prolactin 5′-flanking regions are required for its regulation by estrogen and glucocorticoids 69 (1988) 13
Stanley, H.A., see Howard, R.F. 69 (1988) 371
Straubinger, B., Thiebe, R., Pech, M. and Zachau, H.G., The Z family, a group of transposed human immunoglobulin V_κ genes 69 (1988) 209
Straubinger, B., see Lötscher, E. 69 (1988) 215
Su, T.-Z. and El-Gewely, M.R., A multisite-directed mutagenesis using T7 DNA polymerase: application for reconstructing a mammalian gene 69 (1988) 81
Szybalski, W., see Pósfai, G. 69 (1988) 147

Tanaka, T., see Nagami, Y. 69 (1988) 59
Teranishi, Y., see Nagami, Y. 69 (1988) 59
Terwilliger, T.C., Simple and highly efficient site-specific mutagenesis, by ligation of an oligodeoxyribonucleotide into gapped heteroduplex DNA in which the template strand contains deoxyuridine 69 (1988) 317
Thiebe, R., see Straubinger, B. 69 (1988) 209
Trewitt, P.M., Saffarini, D.A. and Bergtrom, G., Multiple clustered genes of the haemoglobin VIIB subfamily of *Chironomus thummi thummi* (Diptera) 69 (1988) 91
Tronik, D., Ekker, M. and Rougeon, F., Structural analysis of 5′-flanking regions of rat, mouse and human renin genes reveals the presence of a transposable-like element in the two mouse genes 69 (1988) 71

Ueda, S., Shiroza, T. and Kuramitsu, H.K., Sequence analysis of the gtfC gene from the *Streptococcus mutans* GS-5 69 (1988) 101

Van den Hondel, C.A.M.J.J., see Punt, P.J. 69 (1988) 49
Vara, J.A., Pulido, D., Lacalle, R.A. and Jiménez, A., Two genes in *Streptomyces alboniger* puromycin biosynthesis pathway are closely linked 69 (1988) 135

Velati Bellini, A., de Ferra, F. and Grandi, G., A rapid and versatile site-directed method of mutagenesis for double-stranded plasmid DNA 69 (1988) 325
Vodkin, M., see Welkos, S.L. 69 (1988) 287
Vogel, R., see Cheng, S.M. 69 (1988) 357

Wada, M., see Kano, Y. 69 (1988) 331
Wagter, R., see Kooter, J.M. 69 (1988) 1
Wang, L.-P., Wong, S.-L., Lee, S.-G., Kalyan, N.K., Hung, P.P., Hilliker, S. and Doi, R.H., Expression and secretion of human atrial natriuretic α-factor in *Bacillus subtilis* using the subtilisin signal peptide 69 (1988) 39
Welkos, S.L., Lowe, J.R., Eden-McCutchan, F., Vodkin, M., Leppla, S.H. and Schmidt, J.J., Sequence and analysis of the DNA encoding protective antigen of *Bacillus anthracis* 69 (1988) 287
Winter, A.J., see Kooter, J.M. 69 (1988) 1
Wong, S.-L., see Wang, L.-F. 69 (1988) 39

Yasuda, N., see Kitani-Yasuda, T. 69 (1988) 165

Zachau, H.G., see Lötscher, E. 69 (1988) 215
Zachau, H.G., see Lötscher, E. 69 (1988) 225
Zachau, H.G., see Straubinger, B. 69 (1988) 209
Zeviani, M., see Rizzuto, R. 69 (1988) 245
Zhang, B., Crabb, D.W. and Harris, R.A., Nucleotide and deduced amino acid sequence of the E1 α subunit human liver branched-chain α-ketoacid dehydrogenase 69 (1988) 159
Zhang, Y.Z., see de Boer, H.A. 69 (1988) 369
Zimmer, F.-J., see Lötscher, E. 69 (1988) 215
Zimmer, F.-J., see Lötscher, E. 69 (1988) 225